

buildkitboards

BKB Duo Wheel Install

How to install the wheels onto the BKB Duo

Written By: Jared Ebersole



**TOOLS:**

- [T Tool](#) (1)

**PARTS:**

- [BKB Duo](#) (1)
- [Wheels](#) (4)

Step 1 — BKB Duo Wheel Install



- Why aren't the wheels already installed? I bought a pre-assembled board!
- Because the Duo can use such a wide variety of wheels, and thus wheel sizes, the safest option for transport is to send the board with the wheels off. Good news though! Installing the wheels is quick and easy!

Step 2



- Gather the board, 2 wheels, and black T-Tool
- Position the board on its back to work on the front truck

Step 3



- Use the black T-Tool to remove one locknut and one washer from the truck
- Make sure there is one washer still on the truck

Step 4



- Slide the wheel onto the truck with the white letters facing outwards

Step 5



- Slide one washer (that was removed earlier) back onto the truck
- Secure the wheel with the locknut that was removed earlier using the T-Tool

⚠ Do NOT over tighten the locknut. You should be able to move the wheel laterally on the truck a very minute amount.

- Spin the wheel with your hand, it should roll freely with minimal resistance.
- The order of parts on the truck should be as follows: washer, wheel, washer, locknut

Step 6



- Repeat the same process on the other side of the truck.
- Remove one washer and one locknut with the T-Tool
- Slide the other wheel on with the white words facing outward
- Secure the wheel with one washer and locknut

⚠ Do NOT over tighten the locknut, it should be able to spin freely with minimal resistance

Step 7



- Position the board so you have access to the rear truck. Gather the other two wheels and T-Tool
- Remove one washer and locknut from the back truck using the T-Tool

Step 8




- Slide the wheel onto the truck with the white letters facing outward
- Secure the wheel by adding one washer and locknut

⚠ Again, do NOT over tighten the locknut

- Repeat the process for the other side of the truck
- The order of parts on the back truck should be as follows: washer, wheel pulley (with belt), wheel, washer, locknut

Step 9



- Your all set! Time to ride!

ALWAYS WEAR A HELMET!

- Consider riding in the Green speed mode until you become comfortable with the board! It may have more torque than you are used to, ride within your limits and obey local traffic laws.
 - Lowest Acceleration
 - Medium Acceleration
 - 100% Acceleration
- Please note that the different modes do not change the overall top speed, they just limit the acceleration significantly.

Step 10



- Download the app to track/monitor your ride!
- Please see the guide [here](#)